https://doi.org/10.1093/bib/bbad360 Problem Solving Protocol

## Accurately identifying nucleic-acid-binding sites through geometric graph learning on language model predicted structures

#### Yidong Song $^{\dagger}$ , Qianmu Yuan $^{\dagger}$ , Huiying Zhao and Yuedong Yang

Corresponding author: Yuedong Yang, Key Laboratory of Machine Intelligence and Advanced Computing of MOE, School of Computer Science and Engineering, Sun Yat-sen University, Guangzhou 510000, China. Tel.: +86-020-37106046; E-mail: yangyd25@mail.sysu.edu.cn

 $^{\dagger}\ensuremath{\operatorname{Yidong}}$  Song and Qianmu Yuan contributed equally to this work.

#### Abstract

The interactions between nucleic acids and proteins are important in diverse biological processes. The high-quality prediction of nucleic-acid-binding sites continues to pose a significant challenge. Presently, the predictive efficacy of sequence-based methods is constrained by their exclusive consideration of sequence context information, whereas structure-based methods are unsuitable for proteins lacking known tertiary structures. Though protein structures predicted by AlphaFold2 could be used, the extensive computing requirement of AlphaFold2 hinders its use for genome-wide applications. Based on the recent breakthrough of ESMFold for fast prediction of protein structures, we have developed GLMSite, which accurately identifies DNA- and RNA-binding sites using geometric graph learning on ESMFold predicted structures. Here, the predicted protein structures are employed to construct protein structural graph with residues as nodes and spatially neighboring residue pairs for edges. The node representations are further enhanced through the pre-trained language model ProtTrans. The network was trained using a geometric vector perceptron, and the geometric embeddings were subsequently fed into a common network to acquire common binding characteristics. Finally, these characteristics were input into two fully connected layers to predict binding sites with DNA and RNA, respectively. Through comprehensive tests on DNA/RNA benchmark datasets, GLMSite was shown to surpass the latest sequence-based methods and be comparable with structure-based methods. Moreover, the prediction was shown useful for inferring nucleic-acid-binding proteins, demonstrating its potential for protein function discovery. The datasets, codes, and trained models are available at https://github.com/biomed-Al/nucleic-acid-binding.

Keywords: nucleic acids; geometric graph learning; binding sites; pre-trained language model

#### INTRODUCTION

Interactions between nucleic acids and proteins are essential in numerous biological processes, which affect the protein function, transcription [1] and genetic material. To address this issue, many experimental methods [2, 3] have been proposed. However, these methods cannot be widely used because of the costly and time-consuming properties. Therefore, there is an urgent need to develop the computational methods.

Depending on the data used, two computational methods are divided as follows: sequence-based and structure-based methods. For sequence-based methods [4, 5], the nucleic-acid-binding characteristics are derived from sequence-derived features. For instance, by using the evolutionary information, solvent accessibility and predicted secondary structures, NCBRPred [6] learns local patterns for DNA- and RNA-binding prediction through a sliding-window strategy. Also, DNAPred [7] identifies the DNA-binding sites with a two-stage algorithm. Although sequence-based methods can be applied to any protein, their predictive efficacy is constrained by their exclusive consideration of sequence context information.

In contrast, structure-based methods are usually more accurate by inferring binding sites from known structures. Typically, template-based, machine learning-based and hybrid methods are included within the structure-based methods. Among them, template-based methods, like SPOT-Seq-RNA [8] and DR\_bind1 [9], obtain dependable templates for specified proteins using structural alignment, through which nucleicacid-binding sites are identified. However, these methods do not apply to proteins without known templates. To address this issue, machine learning-based methods [10] build classifiers using features from protein structures. For instance, GraphBind [11] learns the patterns of structural characteristics based on encoding protein structures as graphs. By comparison, hybrid methods [12] are composed of the above two types of methods. Despite the good performance of structure-based methods, they are not suitable for proteins lacking experimental structures.

© The Author(s) 2023. Published by Oxford University Press. All rights reserved. For Permissions, please email: journals.permissions@oup.com

Yidong Song is a PhD student in the School of Computer Science and Engineering at Sun Yat-sen University. He mainly researches protein function prediction and protein design.

Qianmu Yuan is studying for his doctorate in the School of Computer Science and Engineering at Sun Yat-sen University. His work focuses on protein function prediction and graph neural network.

Huiying Zhao works at the Sun Yat-sen Memorial Hospital at Sun Yat-sen University as an associate research fellow. Her research areas mainly include disease diagnosis and protein function.

Yuedong Yang is a professor in the School of Computer Science and Engineering at Sun Yat-sen University. His current research direction is to promote biological research based on the integration of HPC and AI algorithms.

Received: July 9, 2023. Revised: September 18, 2023. Accepted: September 18, 2023

Benefiting from the breakthroughs of AlphaFold2 in protein structure prediction, Yuan *et al.* [13] demonstrated that the predicted structures were worthwhile for the DNA-binding site identification. Unfortunately, the extensive computing requirement of AlphaFold2 hinders its use for genome-wide applications. To solve this problem, the pre-trained language model ESMFold [14] was constructed for fast and accurate structure prediction, achieving similar accuracy to AlphaFold2 but reducing the inference time by an order of magnitude faster than AlphaFold2. Such change enables better exploration of the structural space of the proteins in metagenomics [15]. On the other hand, the features obtained from protein sequences using unsupervised language models (ProtTrans [16] and ESM-1b [17]) were demonstrated to be useful for downstream tasks [18, 19]. However, these techniques have not been fully utilized for the prediction of nucleic-acid-binding sites.

In addition, effective learning of protein structure is essential for model performance. Protein structure could be learned through two types of techniques: graph neural networks (GNNs) [20, 21] and convolutional neural networks (CNNs) [22–24]. The relational reasoning, such as recognizing relationships of amino acids based on structures [25], is well done by GNNs. By comparison, CNNs directly manipulate the geometry of the structure. Recently, the combination of two techniques is popular and showing better performance, a typical representative is geometric vector perceptron (GVP) [26]. GVP can combine the advantages of the above two techniques by operating directly on both scalar and geometric features. This inspires us to consider using this method to achieve effective learning of protein structures.

In this work, a novel method GLMSite is developed, which uses Geometric graph learning on Language Model predicted structures for nucleic-acid-binding-site identification. Specifically, the predicted protein structures are employed to construct protein structural graph with residues as nodes and spatially neighboring residue pairs for edges. The node representations are further enhanced through the pre-trained language model ProtTrans. During training, the node and edge representations are used to obtain the geometric embeddings, which are subsequently fed into a common network to acquire common binding characteristics. Then two fully connected layers are employed to obtain specific binding patterns for DNA and RNA, respectively. Through comprehensive tests on DNA/RNA benchmark datasets, GLMSite was shown to surpass the state-of-the-art sequence-based methods and be comparable with structure-based methods. Moreover, the prediction results can help identify nucleic-acid-binding proteins, demonstrating its potential for protein function discovery.

## MATERIALS AND METHODS

#### Datasets

From BioLiP [27] database, we downloaded 14 903 and 13 978 proteins (released on 30 March 2022) that bind to DNA and RNA, respectively. The binding sites in this database were computed depending on the experimental complex structures from the PDB database [28]. A binding residue is defined by the minimum atomic distance between it and the nucleic acid. Specifically, if the distance minus 0.5 Å is less than the sum of Van der Waals' radius of the two nearest atoms, the residue is considered to bind the nucleic acid.

One protein may bind different DNA/RNA, which are deposited in different PDB entries. To obtain the complete binding sites, we clustered the binding proteins with 95% sequence identity through MMseqs2 [29] and chose the longest chain as the representative one. Following previous studies [30, 31], the binding annotations were transferred from homology chains according to sequence alignment by blastp [32], causing the number of DNAand RNA-binding sites to increase by 8.6% and 32.4%, respectively. Then, the chains were removed through MMseqs2 at 30% sequence identity, leading to the size of DNA- and RNA-binding data sets being 915 and 719, corresponding to 22 866/261 955 and 23 045/219 297 binding residues, respectively. For a strict evaluation, the proteins deposited before a specific date were used for training and the afterwards for testing. We set the deposition date as 18 December 2019 and 19 June 2019 for the DNA- and RNAbinding data sets so that around 80% (735 and 577, respectively) of proteins were used for the training. More details can be seen in Table 1.

To verify the ability of GLMSite to infer nucleic-acid-binding proteins from residue-level prediction, we constructed a new dataset PDB2770 from PDB [28] database (released after 1 January 2020). The homologous proteins were removed against the training set through MMseqs2 (30% sequence identity), resulting in 761 positive samples (nucleic-acid-binding proteins) and 2009 negative samples (non-nucleic-acid-binding proteins).

#### **Protein representations**

According to the predicted structure from ESMfold, we view each protein as a graph G = (U, E). The U represents the nodes in the graph, where each node  $u_i \in U$  is assigned a node representation  $h_u^{(i)}$ . Similarly, the edges are represented as E, which are constructed by the nearest 30 neighbors based on the distance between  $C\alpha$  atoms. Specifically, the edge  $e_{j \rightarrow i} \in E$  is an edge from  $u_j$  to  $u_i$ , and its corresponding representation is  $h_e^{(j \rightarrow i)}$ .

#### Node representations

- (i) Node vector features. Three unit vectors in different directions, including  $C_{\alpha_{i-1}}-C_{\alpha_i}$ ,  $C_{\alpha_{i+1}}-C_{\alpha_i}$  and  $C_{\beta_i}-C_{\alpha_i}$ .
- (ii) Structural properties. The DSSP [33] program was used to extract structure features, including (a) dihedral information  $\{\sin, \cos\} \times (\Phi, \psi, \omega)$ , (b) solvent accessible surface area and (c) nine one-hot secondary structure profile.
- (iii) Language model representations. A pre-trained language model ProtT5-XL-U50 (ProtTrans [16]) was employed to generate the protein embeddings to enhance the node representations. ProtTrans is a transformer-based autoencoder called T5 [34], pre-trained on UniRef50 [35] to learn to complete the prediction of masked amino acids. The node representations were enhanced using the features computed from the last layer of the ProtTrans encoder.

#### Edge representations

- (i) Edge vector features. A unit vector between  $u_j$  and  $u_i$  in the direction of  $C_{\alpha_j} C_{\alpha_i}$ .
- (ii) Distance encoding. The distance encoding of  $\|C_{\alpha_j} C_{\alpha_i}\|_2$  according to the gaussian radial basis functions.
- (iii) Positional embedding. The positional embedding indicates the positioning of each neighbor j by using the sinusoidal function of the gap j - i, where i represents the current node.

#### The architecture of GLMSite

As shown in Figure 1, GLMSite uses ESMFold to predict protein structures while using ProtTrans to extract sequence embeddings, which are used to generate the node and edge features. These are then fed into a geometric vector perceptron-based graph neural network (GVP-GNN). Also, the information is sent to two

Туре	Dataset	N <sub>protein</sub> <sup>a</sup>	Npos <sup>b</sup>	N <sub>neg</sub> <sup>c</sup>	PNratio <sup>d</sup>		
DNA	DNA-735-Train	735	18 611	178 125	0.104		
	DNA-180-Test	180	4255	60 964	0.070		
RNA	RNA-577-Train	577	18 564	143 019	0.130		
	RNA-142-Test	142	4481	53 233	0.084		

<sup>a</sup>Number of proteins. <sup>b</sup>Number of binding residues. <sup>c</sup>Number of non-binding residues. <sup>d</sup>PNratio = N<sub>pos</sub>/N<sub>neg</sub>.



Figure 1. The protein sequence is input to ESMFold to predict protein structures while using ProtTrans to extract sequence embeddings, which are used to generate the node features and edge features. These are then fed into a geometric vector perceptron-based graph neural network (GVP-GNN). Finally, the information is sent to two individual networks respective for DNA- and RNA-binding-site predictions.

individual networks respective for DNA- and RNA-binding-site predictions.

#### Geometric vector perceptron

Table 1 Summary of training and test sets

For better learning the vector and scalar features, the geometric vector perceptron (GVP) is used to combine the strengths of CNNs and GNNs. It operates on scalars and vectors through a series of linear and nonlinear operations. A linear operation is first applied to the vector features to obtain processed features. Then, on the one hand, the combination of scalar and  $L_2$  norm of processed features is utilized for generating new scalar features. On the other hand, multiple operations are performed on the processed features and vector features to update vector features. Specifically, the calculation process is as follows:

$$s' = \sigma \left( W_m s_{h+n} + b \right) \tag{1}$$

$$V' = \sigma^+ \left( \left\| W_\mu W_h V \right\|_2 \right) \odot \left( W_\mu W_h V \right) \tag{2}$$

where  $s \in \mathbb{R}^n$  and  $V \in \mathbb{R}^{\nu \times 3}$  are original scalar and vector features, and  $s' \in \mathbb{R}^m$  and  $\mathbf{V}' \in \mathbb{R}^{\mu \times 3}$  are corresponding new features. Besides,  $\sigma$  and  $\sigma^+$  are nonlinearities;  $W_m$ ,  $W_h$  and  $W_\mu$  are three separate linear transformations; and *b* is the bias term. The  $s_{h+n} \in \mathbb{R}^{h+n}$ represents the combination of  $s \in \mathbb{R}^n$  and  $||W_h V||_2 \in \mathbb{R}^h$ , of which *h* is the largest number of v and  $\mu$ .

#### The GVP-based graph neural networks

The GVP-based graph neural networks (GVP-GNN) utilize message passing [36] to updated node embeddings through the messages from neighboring nodes and edges. For each graph propagation, the protein graph defined above is fed into the architecture and the propagation steps are as follows:

$$h_m^{(j \to i)} := g \left( \text{concat} \left( h_u^{(j)}, h_e^{(j \to i)} \right) \right)$$
(3)

$$h_{u}^{(i)} \leftarrow \text{LayerNorm} \left( h_{u}^{(i)} + \frac{1}{k'} \text{Dropout} \left( \sum_{j:e_{j \rightarrow i} \in e} h_{m}^{(j \rightarrow i)} \right) \right)$$
 (4)

where g is a module consisting of GVPs, and the information of node i and edge  $(j \rightarrow i)$  is represented as  $h_u^{(i)}$  and  $h_e^{(j \rightarrow i)}$ ,

respectively. For the message passing from node j to node i, k' represents the incoming message number, while  $h_m^{(j \to i)}$  denotes the message. Meanwhile, for updating the node information, an additional layer has been added as follows:

$$h_{u}^{(i)} \leftarrow \text{LayerNorm} \left( h_{u}^{(i)} + \text{Dropout} \left( g \left( h_{u}^{(i)} \right) \right) \right)$$
 (5)

Both the scalar features and vector features at each node will be updated through these graph propagation and feed-forward steps.

#### Nucleic-acid-specific fully connected networks

The output of the GVP-GNN is transmitted to the nucleic-acidspecific fully connected networks to predict the DNA- and RNAbinding sites. Since different tasks have specific properties, we construct two independent fully connected networks for different tasks. For a specific task, we only update the corresponding network, while the remaining network keeps unchanged.

#### Implementation details

On the training data, the 5-fold cross-validation (CV) was performed, where the data were randomly divided into five folds. During the training process, the model was trained on four folds and validated on the rest of the data. After five identical operations, the average validation performance was employed to optimize the hyperparameters. By training on CV, we got five models, which were used to predict when testing, and the final results were the average prediction results.

Specifically, a five-layer GVP encoder module was used, which contains 128 hidden units. Adam optimizer was used with a weight decay of  $10^{-5}$ ,  $\beta_1=0.9$ ,  $\beta_2=0.99$  and a learning rate of  $4 \times 10^{-4}$ . Also, the binary cross-entropy loss was employed in the training process. To avoid overfitting, we set the dropout rate to 0.1. Meanwhile, an early-stopping rule was set as follows: the training will be terminated if the validation performance does not improve for 8 epochs consecutively.

#### Prediction of nucleic-acid-binding proteins

Here, the residue-level prediction was found useful for inferring the nucleic-acid-binding proteins. Referring to previous work [37],

Туре	5-fold CV		Independent tests			
	AUC <sub>ROC</sub>	AUC <sub>PR</sub>	AUC <sub>ROC</sub>	AUC <sub>PR</sub>		
DNA	$0.923 \pm 0.008$	$0.634 \pm 0.027$	0.929	0.571		
RNA	$0.882 \pm 0.011$	$0.545 \pm 0.033$	0.866	0.383		

Table 2. The performance of GLMSite on 5-fold CV and two independent test sets (DNA-180-Test and RNA-142-Test)

a score to identify nucleic-acid-binding proteins is computed as follows:

$$\alpha \frac{1}{n} \sum_{i=1}^{n} p_r(r_i) + (1 - \alpha) p\left(\frac{n}{N}\right)$$
(6)

where the  $p_r(r_i)$  is the ith highest binding probability of the residues, N is the number of all residues in the protein, p is a learned gaussian distribution obtained from the training set,  $\alpha$  is a weighting factor ( $\alpha$  was set to 0.950 in this work) and n is chosen to maximize this score.

#### Performance evaluation

The metrics used in this work include the area under the receiver operating characteristic curve ( $AUC_{ROC}$ ), the area under the precision–recall curve ( $AUC_{PR}$ ), accuracy (Acc), Matthews correlation coefficient (MCC), recall (Rec), precision (Pre) and F1-score (F1).

$$Acc = \frac{TN + TP}{TN + FP + FN + TP}$$
(7)

$$MCC = \frac{TP \times TN - FN \times FP}{\sqrt{(TP + FN) \times (TP + FP) \times (TN + FN) \times (TN + FP)}}$$
(8)

$$\operatorname{Rec} = \frac{\operatorname{TP}}{\operatorname{TP} + \operatorname{FN}} \tag{9}$$

$$Pre = \frac{TP}{TP + FP}$$
(10)

$$F1 = 2 \times \frac{\text{Precision} \times \text{Recall}}{\text{Precision} + \text{Recall}}$$
 (11)

Here, TP, FP, TN and FN indicate the number of binding residues classified accurately, non-binding residues classified wrongly, non-binding residues classified accurately and binding residues classified wrongly, respectively.

#### RESULTS

## Consistent performance on two independent tests

As shown in Table 2, GLMSite was evaluated through 5-fold CV and two independent tests. For DNA, GLMSite obtains  $AUC_{ROC}$  of 0.923, as well as  $AUC_{PR}$  of 0.634 on the 5-fold CV. Correspondingly, the  $AUC_{ROC}$  and  $AUC_{PR}$  are 0.929 and 0.571 on DNA-180-Test.

For RNA, the  $AUC_{ROC}$  and  $AUC_{PR}$  of GLMSite on the 5-fold CV are 0.882 and 0.545, which are 0.866 and 0.383 on RNA-142-Test, respectively. On the 5-fold CV, the low standard deviations of  $AUC_{ROC}$  and  $AUC_{PR}$  indicate the stability of the model. Also, the robustness of GLMSite is further demonstrated by the consistency of CV and independent test results (Supplementary Tables S1 and S2 available online at http://bib.oxfordjournals.org/).

The geometric information is crucial for DNA- and RNAbinding prediction. To prove it, BiLSTM was provided as a baseline, which is geometrically agnostic. Table 3 shows that GLMSite surpasses BiLSTM on two independent test sets. The  $AUC_{ROC}$ ,



Figure 2. The MCC of GLMSite and BiLSTM on amino acids containing different numbers of non-local contacts in RNA-142-Test.

 $AUC_{PR}$  and MCC of GLMSite is 1.4%, 6.7% and 6.3% higher than BiLSTM on DNA-180-Test, and the same is 2.9%, 8.2% and 11.0% higher than BiLSTM on RNA-142-Test. The results show that the protein geometric knowledge is crucial and GLMSite excels at extracting the geometric knowledge from the predicted structures.

To investigate why GLMSite achieved superior performance, the performance of GLMSite and BiLSTM on different samples was further analyzed. If the atomic distance between  $C\alpha$  atoms of two residues is less than 12 Å, and there are more than 20 residues between them, then we define that there is a non-local contact. As shown in Figure 2, GLMSite consistently outperforms BiLSTM on RNA-142-Test, and more importantly, the advantage grows while the non-local contact number increases. This illustrates that GLMSite can capture long-range contact information well. Similarly, the same comparison was performed on DNA-180-Test (Supplementary Figure S1 available online at http://bib. oxfordjournals.org/).

We further visualize the raw embeddings (size 1040) and the learned latent representations on DNA-180-Test. For raw embeddings, Figure 3 shows that these two types of residues are scattered everywhere haphazardly, while the learned ones tend to be clustered together. It can be seen from here that the latent representations learned by GLMSite are more discriminative. The same visualization on RNA-142-Test can be seen in Supplementary Figure S2 available online at http://bib.oxfordjournals.org/.

#### Feature analysis

For analyzing the features, we tested the model performance by using different features. The ProtTrans features extracted from the pre-trained language model are excellent, achieving a nice performance with  $AUC_{ROC}$  of 0.928 on DNA-180-Test and 0.862 on RNA-142-Test (Table 4). When only the evolutionary profile (PSSM+HMM, denoted as Evo) is used, the  $AUC_{ROC}$  of the model on DNA-180-Test and RNA-142-Test are 0.915 and 0.858, which are less than when using ProtTrans. This indicates that ProtTrans

Dataset	Method	AUC <sub>ROC</sub>	AUC <sub>PR</sub>	MCC	Rec	Pre	F1	Acc
DNA-180-Test	BiLSTM	0.916	0.535	0.479	0.546	0.485	0.514	0.919
	GLMSite	0.929	0.571	0.509	0.606	0.490	0.542	0.933
RNA-142-Test	BiLSTM	0.842	0.354	0.355	0.465	0.364	0.409	0.883
	GLMSite	0.866	0.383	0.394	0.565	0.359	0.439	0.927

Table 3. The performance comparison of GLMSite and BiLSTM on two independent test sets DNA-180-Test and RNA-142-Test according to AUC<sub>ROC</sub>, AUC<sub>PR</sub>, MCC, Rec, Pre and F1



Figure 3. Visualization of the distributions of samples encoded by raw feature vectors (A) and latent feature vectors learned by GLMSite (B) on DNA-180-Test using t-SNE.

Feature	DNA-180-Test			RNA-142-Tes	RNA-142-Test			
	AUC <sub>ROC</sub>	AUC <sub>PR</sub>	MCC	AUC <sub>ROC</sub>	AUC <sub>PR</sub>	MCC		
Dssp	0.895	0.455	0.436	0.831	0.333	0.328		
Evo	0.915	0.512	0.479	0.858	0.365	0.366		
ProtTrans	0.928	0.559	0.503	0.862	0.377	0.375		
Evo + Dssp	0.921	0.532	0.491	0.865	0.380	0.378		
ProtTrans + Dssp (GLMSite)	0.929	0.571	0.509	0.866	0.383	0.394		

Table 4. Ablation studies of GLMSite on DNA-180-Test and RNA-142-Test.

Bold fonts indicate the best results.

has a strong expressive ability while taking less time than Evo. ESM-1b was also tested, and its performance was lower than that of ProtTrans, which was not shown in this paper. When only the DSSP obtained from the predicted structure is used, the model still has considerable performance with AUC<sub>ROC</sub> of 0.895 on DNA-180-Test and 0.831 on RNA-142-Test, indicating that ESMFold can predict effective structures for downstream tasks. Besides, we tested the model performance with different feature combinations. We combined DSSP with traditional Evo and ProtTrans, respectively. As expected, when DSSP and ProtTrans are combined, the performance is slightly higher than when DSSP and Evo are combined, with AUC<sub>ROC</sub> of 0.929 on DNA-180-Test and 0.866 on RNA-142-Test. This further proves the effectiveness of ProtTrans.

In this study, geometric graph learning is performed on ESMFold predicted structures. The structure quality can affect the downstream prediction theoretically. For further analysis, the global distance test (GDT) between the native and predicted structures was calculated through SPalign [38]. As shown in Figure 4, the structure quality of ESMFold measured by GDT is positively correlated with GLMSite performance measured by AUC<sub>PR</sub> on independent test DNA-180-Test. After sorting the proteins according to GDT, the mean AUC<sub>PR</sub> of the top 20% proteins and the bottom 20% proteins are 0.733 and 0.406, respectively, showing an obviously large gap. To indicate the relation



**Figure 4.** Model performance (measured by AUC\_PR) varies with structural quality (measured by GDT) on DNA-180-Test. The scatters represent the GDT and AUC\_PR of each protein, and the linerepresents the change of the average AUC\_PR with respect to the average GDT, which is calculated by sorting the proteins by GDT and dividing them into eight bins.

between these two characteristics in a statistically correct way, we analyzed the regression line (Supplementary Figure S4 available online at http://bib.oxfordjournals.org/) and found a low positive correlation between AUC<sub>PR</sub> and GDT. The above results prove the relationship between the structure quality and DNA- and

Table 5. Performance comparison of GLMSite with state-of-the-art methods on DNA-180-Test and RNA-142-Test.

Dataset	Method	AUC <sub>ROC</sub>	AUC <sub>PR</sub>	MCC	Rec	Pre	F1	Acc
DNA-180-Test	COACH-D (predicted structure)	0.691	0.263	0.312	0.307	0.403	0.349	0.924
	NucBind (predicted structure)	0.813	0.339	0.332	0.337	0.411	0.370	0.924
	SVMnuc (predicted structure)	0.820	0.333	0.321	0.324	0.403	0.359	0.923
	COACH-D (native structure)	0.685	0.266	0.318	0.311	0.410	0.354	0.924
	NucBind (native structure)	0.812	0.342	0.338	0.342	0.418	0.376	0.925
	SVMnuc (native structure)	0.820	0.332	0.320	0.323	0.402	0.358	0.923
	DNAPred	0.824	0.399	0.334	0.357	0.411	0.382	0.909
	GraphBind (predicted structure)	0.886	0.423	0.430	0.522	0.425	0.468	0.923
	GraphBind (native structure)	0.905	0.463	0.466	0.598	0.429	0.500	0.922
	GraphSite	0.917	0.521	0.483	0.557	0.484	0.518	0.932
	GLMSite	0.929	0.571	0.509	0.606	0.490	0.542	0.933
RNA-142-Test	COACH-D (predicted structure)	0.542	0.153	0.128	0.106	0.273	0.152	0.909
	NucBind (predicted structure)	0.714	0.201	0.168	0.166	0.284	0.210	0.903
	SVMnuc (predicted structure)	0.719	0.193	0.161	0.162	0.274	0.204	0.901
	COACH-D (native structure)	0.543	0.155	0.128	0.107	0.270	0.153	0.908
	NucBind (native structure)	0.714	0.200	0.168	0.167	0.285	0.210	0.903
	SVMnuc (native structure)	0.719	0.193	0.162	0.163	0.274	0.205	0.901
	GraphBind (predicted structure)	0.789	0.275	0.285	0.453	0.279	0.345	0.867
	GraphBind (native structure)	0.854	0.396	0.385	0.560	0.353	0.433	0.886
GLMSite	0.866	0.383	0.394	0.565	0.359	0.439	0.927	

Bold fonts indicate the best results.



Figure 5. The receiver operating characteristic curves given by GLMSite and other methods on DNA-180-Test (A) and RNA-142-Test (B).

RNA-binding prediction, which inspires us to enhance the model by improving the structure quality in the future. For RNA, the same trend can be seen in Supplementary Figures S3 and S4 available online at http://bib.oxfordjournals.org/.

# Comparison with methods for DNA- and RNA-binding prediction

We compared GLMSite with six methods on DNA-180-Test while comparing it with four methods on RNA-142-Test. Supplementary Table S5 available online at http://bib.oxfordjournals. org/ shows the details of the methods studied in the work. SVM, GNN and Graph Transformer are among the techniques of these methods. As shown in Table 5, GLMSite significantly surpassed the state-of-the-art sequence-based methods and was comparable with structure-based methods. Figure 5 compares the receiver operating characteristic curves on DNA-180-Test and RNA-142-Test.

On DNA-180-Test, we compared GLMSite with COACH-D [39], NucBind, SVMnuc, DNAPred, GraphBind and GraphSite [13]. As shown in Table 5, the  $AUC_{ROC}$ ,  $AUC_{PR}$  and MCC of GLMSite are 0.929, 0.571 and 0.509, outperforming the second-best method by 1.3%, 9.6% and 5.4%, respectively. Meanwhile, GLMSite outperforms all other methods with Acc, recall, precision and F1 of 0.933, 0.606, 0.490 and 0.542, respectively. Compared to structurebased methods, GLMSite (requires only input sequences) outperforms GraphBind by 2.7% and 23.3% in AUC<sub>ROC</sub> and AUC<sub>PR</sub>, respectively. This is expected because (i) compared to the features used by GraphBind, we have newly used the pre-trained language model ProtTrans to extract abundant information. (ii) The quality of ESMFold predicted structures is high. (iii) The geometric graph learning is proven to be powerful (shown in Table 3). Interestingly, the use of predicted structures will increase the difficulty of prediction by structure-based methods. For example, the  $AUC_{ROC}$  and  $AUC_{PR}$  of GraphBind are reduced by 2.1% and 8.6%, respectively, and the superiority of our method is more prominently reflected. When compared with GraphSite which was also developed by my group based on Alphafold2-predicted structures, GLMSite shows an improvement of 1.3% and 9.6% on

the  $AUC_{ROC}$  and  $AUC_{PR},$  respectively. This may be attributed to the crucial ProtTrans embeddings and the multi-task learning where the common binding characteristics are learned through a common network. From these results, the superiority of GLMSite and the high quality of ESMFold predicted structures are further demonstrated.

Similarly, we compared GLMSite with COACH-D, NucBind, SVMnuc and GraphBind on RNA-142-Test. GLMSite surpasses all other methods using predicted structures, with  $AUC_{ROC},\ AUC_{PR}$  and MCC of 0.866, 0.383 and 0.394, outperforming the second-best method by 9.8%, 39.3% and 38.2%, respectively. Also, the Acc, recall, precision and F1 of GLMSite are 0.927, 0.565, 0.359 and 0.439, respectively, all of which outperform other methods. For the template-based method COACH-D, the  $AUC_{\text{ROC}},\,AUC_{\text{PR}}$  and MCC are 0.542, 0.153 and 0.128, respectively, indicating lower performance than other methods. This may be due to the low similarity between the templates and the queries [40], demonstrating the necessity of developing machine learning-based methods. When using native structures, the structure-based methods improve significantly, resulting in the AUCPR of GraphBind that slightly outperforms our method, but the  $AUC_{ROC}$  and MCC are still 1.4% and 2.3% lower than our method. This indicates that the information extracted from the ProtTrans embeddings and predicted structures is crucial and comparable to the information contained in native structures. Interestingly, we found that methods performing well on DNA-180-Test also show consistent performance on RNA-142-Test, such as GLMSite and GraphBind. This reflects the correlation between these two tasks and further illustrates the rationale for using a common network to extract the common binding characteristics. Supplementary Figure S5 available online at http://bib.oxfordjournals.org/ details the precision-recall curves of all methods on these two datasets.

# Residue-level prediction is meaningful for inferring protein-level function

To test the ability of GLMSite to infer nucleic-acid-binding proteins from residue-level prediction, a score was generated through the predicted residue results and the percentage of binding residues [37] according to the prediction of GLMSite. For calculating this score, the binding-residue percentage distribution of each protein in the training set was fit by a gaussian distribution (Supplementary Figure S6 available online at http://bib.oxfordjournals. org/). From the distribution (gaussian term), a tendency can be calculated to measure the likelihood that a protein is a binding protein. Then, the average probability of top-*n* residues and computed tendency are summed by weight to generate the final score (Equation (6)).

The score distribution of two types of proteins on PDB2770 was compared. As shown in Figure 6, the scores of nucleic-acidbinding proteins are higher than those of other proteins (nonnucleic-acid-binding proteins) greatly, which demonstrates the ability of our method to identify nucleic-acid-binding proteins. In addition, we also compared two methods for calculating scores: (i) using the average probability of all residues of a protein; (ii) using the average probability of top-*n* residues and gaussian term. The results show that when the gaussian term is used, the ability to identify nucleic-acid-binding proteins has been improved (Supplementary Table S3 available online at http://bib.oxfordjournals. org/). The receiver operating characteristic and precision-recall curves of two different methods on PDB2770 were also compared in Supplementary Figures S7 and S8 available online at http://bib. oxfordjournals.org/, which indicates the superiority of GLMSite.



Figure 6. The score distribution of nucleic-acid-binding proteins and nonnucleic-acid-binding proteins (other proteins) on PDB2770.

The above results suggest that the residue-level prediction is meaningful for inferring protein-level function.

#### Case study

As an example, one case (ID is 7KX9, chain is A) obtained from PDB database was visualized. The results of GLMSite (A) and baseline BiLSTM (B) are shown in Figure 7. This protein consists of 734 residues, of which 59 are RNA-binding residues. For GLMSite, the  $AUC_{ROC}$ ,  $AUC_{PR}$  and F1 are 0.967, 0.694 and 0.672 (Supplementary Table S4 available online at http://bib.oxfordjournals.org/), which are 3.9%, 32.4% and 20.4% higher than BiLSTM, respectively. Another case (SMC complex, PDB ID: 7nyw, chain E) from the DNA-180-Test dataset can also be seen in Supplementary Figure S8 available online at http://bib.oxfordjournals.org/. Although the predicted structure quality of this example is low (GDT = 0.198), the  $AUC_{ROC}$  and  $AUC_{PR}$  of GLMSite are still 0.4% and 52.1% higher than BiLSTM (Supplementary Table S4 available online at http://bib.oxfordjournals.org/), which demonstrates the stability of GLMSite.

### DISCUSSION

The prediction of DNA- and RNA-binding sites is essential for various biological activities. Presently, the predictive efficacy of sequence-based methods is constrained by their exclusive consideration of sequence context information, whereas structurebased methods are unsuitable for proteins lacking known tertiary structures. Trained through the protein structures predicted by ESMFold and ProtTrans-based embeddings, GLMSite achieves excellent performance solely from protein sequences, solving the limitations of the above two types of methods simultaneously. Specifically, the node and edge representations are used to obtain the geometric embeddings, which are subsequently fed into a common network to acquire common binding characteristics. Then, two fully connected layers are employed to obtain specific binding patterns for DNA and RNA, respectively. In general, the advantages of GLMSite are reflected in the following aspects: (I) the high quality of the predicted structures by ESMFold; (II) abundant information extracted from pre-trained language model ProtTrans; (III) crucial geometric embeddings obtained through the GVP module; (IV) the binding characteristics of different nucleic acids learned from a common network. Through comprehensive tests on the two independent test sets, GLMSite was shown to outperform the state-of-the-art methods.

In this work, we have an interesting observation that the residue-level prediction is meaningful for inferring proteinlevel function. Based on the residue-level prediction, a score was computed using the average probability of top-*n* residues



Figure 7. Visualization of one example (PDB ID: 7KX9, chain A) from RNA-142-Test predicted by GLMSite (A) and the geometric-agnostic baseline method BiLSTM (B).

and gaussian term. The results have shown that the scores of nucleic-acid-binding proteins far exceed those of non-binding proteins. This inspires us that the residue-level prediction can be further extended to the protein-level function prediction. In the following work, we will also conduct more in-depth research on the interaction and promotion of the information between residue level and protein level. In this work, we mainly focus on predicting the nucleic-acid-binding residues, and we will try to predict the binding free energy in the future.

While GLMSite has good performance, there are still some areas that can be improved. First, considering the impact of predicted structure quality, we can try to improve the structure quality or add other sequence features to enhance the model stability. Second, the significant efficacy of common networks inspires us to employ more types of molecules to promote mutual learning. These challenges will be explored in our future work. In general, we have developed a novel method GLMSite, which can perform fast and accurate prediction of nucleic-acid-binding sites.

#### **Key Points**

- GLMSite employs the abundant information extracted from pre-trained language model ProtTrans.
- Geometric graph learning is performed on ESMFold predicted structures.
- GLMSite integrates the binding characteristics of different nucleic acids learned from a common network.
- The results of GLMSite suggest that the residue-level prediction is meaningful for inferring protein-level function.

### SUPPLEMENTARY DATA

Supplementary data are available online at https://academic.oup. com/bib.

### FUNDING

National Key R&D Program of China (2022YFF1203100), National Natural Science Foundation of China (12126610).

## DATA AVAILABILITY

We provide the datasets and codes together with models at https://github.com/biomed-AI/nucleic-acid-binding.

### REFERENCES

- von Hippel PH, Bear DG, Morgan WD, McSwiggen JA. Proteinnucleic acid interactions in transcription: a molecular analysis. *Annu Rev Biochem* 1984;53:389–446.
- Orengo CA, Michie AD, Jones S, et al. CATH–a hierarchic classification of protein domain structures. Structure 1997;5:1093–109.
- Mandel-Gutfreund Y, Margalit H. Quantitative parameters for amino acid-base interaction: implications for prediction of protein-DNA binding sites. Nucleic Acids Res 1998;26:2306–12.
- Hu J, Li Y, Zhang M, et al. Predicting protein-DNA binding residues by weightedly combining sequence-based features and boosting multiple SVMs. IEEE/ACM Trans Comput Biol Bioinform 2016;14:1389–98.
- Yan J, Kurgan L. DRNApred, fast sequence-based method that accurately predicts and discriminates DNA- and RNA-binding residues. Nucleic Acids Res 2017;45:gkx059–e84.
- Zhang J, Chen Q, Liu B. NCBRPred: predicting nucleic acid binding residues in proteins based on multilabel learning. *Brief Bioinform* 2021;22:bbaa397.
- Zhu Y-H, Hu J, Song X-N, Yu DJ. DNAPred: accurate identification of DNA-binding sites from protein sequence by ensembled hyperplane-distance-based support vector machines. *J Chem Inf Model* 2019;59:3057–71.
- Yang Y, Zhao H, Wang J, et al. SPOT-Seq-RNA: predicting protein–RNA complex structure and RNA-binding function by fold recognition and binding affinity prediction. *Methods Mol Biol* 2014;**1137**:119–30.
- Chen YC, Sargsyan K, Wright JD, et al. Identifying RNA-binding residues based on evolutionary conserved structural and energetic features. Nucleic Acids Res 2014;42:e15–5.
- Jiménez J, Doerr S, Martínez-Rosell G, et al. DeepSite: proteinbinding site predictor using 3D-convolutional neural networks. Bioinformatics 2017;33:3036–42.
- 11. Xia Y, Xia C-Q, Pan X, Shen HB. GraphBind: protein structural context embedded rules learned by hierarchical graph neural networks for recognizing nucleic-acid-binding residues. Nucleic Acids Res 2021;**49**:e51–1.
- Liu R, Hu J. DNABind: a hybrid algorithm for structure-based prediction of DNA-binding residues by combining machine learning- and template-based approaches. *Proteins* 2013;81: 1885–99.
- Yuan Q, Chen S, Rao J, et al. AlphaFold2-aware protein–DNA binding site prediction using graph transformer. Brief Bioinform 2022;23:bbab564.

- Lin Z, Akin H, Rao R, et al. Evolutionary-scale prediction of atomic-level protein structure with a language model. Science 2023;**379**:1123–30.
- 15. Handelsman J, Rondon MR, Brady SF, et al. Molecular biological access to the chemistry of unknown soil microbes: a new frontier for natural products. *Chem Biol* 1998;**5**:R245–9.
- Elnaggar A, Heinzinger M, Dallago C, et al. Prottrans: toward understanding the language of life through selfsupervised learning. IEEE Trans Pattern Anal Mach Intell 2021;44: 7112–27.
- 17. Rives A, Meier J, Sercu T, *et al.* Biological structure and function emerge from scaling unsupervised learning to 250 million protein sequences. *Proc Natl Acad Sci* 2021;**118**:e2016239118.
- Yuan Q, Xie J, Xie J, et al. Fast and accurate protein function prediction from sequence through pretrained language model and homology-based label diffusion. Brief Bioinform 2023;24: bbad117.
- 19. Yuan Q, Chen S, Wang Y, *et al.* Alignment-free metal ionbinding site prediction from protein sequence through pretrained language model and multi-task learning. *Brief Bioinform* 2022;**23**:bbac444.
- Yuan Q, Chen J, Zhao H, et al. Structure-aware protein-protein interaction site prediction using deep graph convolutional network. Bioinformatics 2022;38:125–32.
- Chen J, Zheng S, Zhao H, Yang Y. Structure-aware protein solubility prediction from sequence through graph convolutional network and predicted contact map. J Chem 2021;13: 1–10.
- 22. Lam JH, Li Y, Zhu L, et al. A deep learning framework to predict binding preference of RNA constituents on protein surface. Nat Commun 2019;**10**:4941.
- Zheng S, Li Y, Chen S, et al. Predicting drug–protein interaction using quasi-visual question answering system. Nature Machine Intelligence 2020;2:134–40.
- Kozlovskii I, Popov P. Protein-peptide binding site detection using 3D convolutional neural networks. J Chem Inf Model 2021; 61:3814-23.
- 25. Battaglia PW, Hamrick JB, Bapst V, et al. Relational inductive biases, deep learning, and graph networks. arXiv preprint arXiv:1806.01261. 2018.
- 26. Jing B, Eismann S, Suriana P, et al. Learning from protein structure with geometric vector perceptrons. International Conference on Learning Representations. ICLR, 2021.

- Yang J, Roy A, Zhang Y. BioLiP: a semi-manually curated database for biologically relevant ligand-protein interactions. *Nucleic Acids Res* 2012;**41**:D1096–103.
- Berman HM, Westbrook J, Feng Z, et al. The protein data bank. Nucleic Acids Res 2000;28:235–42.
- 29. Steinegger M, Söding J. MMseqs2 enables sensitive protein sequence searching for the analysis of massive data sets. Nat Biotechnol 2017;**35**:1026–8.
- Chen K, Mizianty MJ, Gao J, Kurgan L. A critical comparative assessment of predictions of protein-binding sites for biologically relevant organic compounds. *Structure* 2011;19:613–21.
- Zhang J, Kurgan L. Review and comparative assessment of sequence-based predictors of protein-binding residues. Brief Bioinform 2018;19:821-37.
- Johnson M, Zaretskaya I, Raytselis Y, et al. NCBI BLAST: a better web interface. Nucleic Acids Res 2008;36:W5–9.
- Kabsch W, Sander C. Dictionary of protein secondary structure: pattern recognition of hydrogen-bonded and geometrical features. *Biopolymers* 1983;22:2577–637.
- Raffel C, Shazeer N, Roberts A, et al. Exploring the limits of transfer learning with a unified text-to-text transformer. J Mach Learn Res 2020;21:5485–551.
- Suzek BE, Huang H, McGarvey P, et al. UniRef: comprehensive and non-redundant UniProt reference clusters. *Bioinformatics* 2007;23:1282–8.
- Gilmer J, Schoenholz SS, Riley PF et al. Neural message passing for quantum chemistry. In: Proceedings of the 34th International Conferenceon Machine Learning. ICML, Sydney, 2017;70:1263–72. PMLR.
- Abdin O, Nim S, Wen H, Kim PM. PepNN: a deep attention model for the identification of peptide binding sites. *Commun Biol* 2022;5:503.
- Yang Y, Zhan J, Zhao H, Zhou Y. A new size-independent score for pairwise protein structure alignment and its application to structure classification and nucleic-acid binding prediction. Proteins 2012;80:2080–8.
- Wu Q, Peng Z, Zhang Y, Yang J. COACH-D: improved protein– ligand binding sites prediction with refined ligand-binding poses through molecular docking. Nucleic Acids Res 2018;46:W438–42.
- Su H, Liu M, Sun S, et al. Improving the prediction of proteinnucleic acids binding residues via multiple sequence profiles and the consensus of complementary methods. *Bioinformatics* 2019;**35**:930–6.